

# Marble Repair- Cemetery



## Cleaning: **D/2 Biological Solution**

I would recommend using the D/2 to clean your marble before any repairs are done. This will eliminate any future growth in the crack and spall areas. Simply wet the area and spray on D/2 full strength on any areas that show growth. Let the D/2 sit for 15 to 20 minutes- then scrub entire area including in cracks as much as possible. After scrubbing rinse and respray D/2. Give the D/2 a week or two too fully kill any growth. Weather permitting: Make sure the marble is completely dry before repairing & patching stone.

Re-attaching stone: **GLACIER** ( Bright White) 250ml cartridge. I recommend using the Glacier to re-attach the broken piece of marble back on.

Cracks: **GLACIER** ( Bright White) 250ml cartridge. I recommend using the Glacier to fill the cracks and voids in marble. Overfill and sand flush

Large voids in stone: **GLACIER** ( Bright White) 250ml cartridge. I recommend using the Glacier to fill the large voids in the stone. To save on cost for filling the void I would recommend getting marble granules. Mix these granules in with Glacier and patching voids to the face of the stone as much as possible. Any small voids around patch areas can be filled with **GLACIER** cartridge. Sand any cured Glacier that is over-filled flush to the surface of stone.

